

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 05-250947

(43)Date of publication of application : 28.09.1993

(51)Int.Cl.

H01B 17/56
C09J 7/02
C09J 7/02

(21)Application number : 04-044898

(71)Applicant : YAZAKI CORP

(22)Date of filing : 02.03.1992

(72)Inventor : HARA SUSUMU


(54) ADHESIVE TAPE

(57)Abstract:

PURPOSE: To prevent sticking of a side surface part of a PVC-based adhesive tape to a side surface part of another PVC-based adhesive tape by crosslinking and hardening an exposed adhesive part in both side surfaces of the adhesive tape.

CONSTITUTION: For an adhesive tape 1, primer 5 is applied to one surface of polyvinyl chloride resin moulded into a wide sheet shape, an adhesive agent is applied to it, it is taken up for a specified length of 5m, 10m, etc., to be a long roll shape tape, and it is cut for a specified width of 15mm, 20mm, etc., for example. Crosslinking and hardening agent 6 is then applied to the whole ranges of both side surface of the tape 1. This agent 6 is produced by applying or

atomizing alkyl acetoacetate aluminum diisopropylate by a thickness of 0.1-1.0 μ m. Liquid isoprene rubber having an OH group at the terminal blended in an agent 4 by 1-10 parts by weight is thus crosslinked, gelatinized or hardened, so that adhesion property of both side surface parts of the tape 1 is reduced, thereby its sticking to a side surface part of another PVC-based adhesive tape can be prevented.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

(19) 日本国特許庁 (J P)

(12) 公 開 特 許 公 報 (A)

(11) 特許出願公開番号

特開平5-250947

(43) 公開日 平成 5 年 (1993) 9 月 28 日

| (51) Int.Cl. ⁵ | 識別記号 | 庁内整理番号 | F I | 技術表示箇所 |
|---------------------------|-------|----------|-----|--------|
| H 0 1 B 17/56 | | 8410-5G | | |
| C 0 9 J 7/02 | J H T | 6770-4 J | | |
| | J L C | 6770-4 J | | |

審査請求 未請求 請求項の数 4 (全 6 頁)

(21) 出願番号 特願平4-44898

(22) 出願日 平成 4 年 (1992) 3 月 2 日

(71) 出願人 000006895

矢崎総業株式会社

東京都港区三田 1 丁目 4 番 28 号

(72) 発明者 原 進

静岡県沼津市大岡 2771 矢崎電線株式会社
内

(74) 代理人 弁理士 小林 保 (外 1 名)

(54) 【発明の名称】 粘着テープ

(57) 【要約】

【目的】 P V C 系粘着テープ側面部において他の P V C 系粘着テープの側面部と接着してしまうのを防止する。

【構成】 シート状基材の片面の全面又は両面の全面に液状イソプレンゴムを配合した粘着剤を塗布してなる P V C 系粘着テープの両側面にアルキルアセトアセテート・アルミニウム・ジイソプロピレート塗布又は噴霧する。

